Division of Energy Division of Environmental Quality

Division of Geology and Land Survey Division of Management Services

Division of Parks, Recreation,

and Historic Preservation

#### JOHN ASHCROFT Governor

G. TRACY MEHAN III

Director

RECEIVED



STATE OF MISSOURI

### '92 MAR 24 PMDEPARTMENT OF NATURAL RESOURCES **MEMORANDUM**

DEPARTMENT OF . COLOES

March 18, 1992

To: Mimi Garstang

Jim Vandike ///

Hydrologic investigation of the Sunstrand (Modine) site area, Camden Subject:

County, MO, Sec. 26, T. 38 N., R. 17 W.

The Sunstrand (Modine) site occupies a ridge-top setting in the northwestern part of Camdenton, Missouri. Surface elevation at the site is about 960 feet above sea level. Surface-water drainage from the site is to the south and southwest into an unnamed tributary of the Niangua Arm of Lake of the Ozarks. The receiving stream forks in the NE 1/4 Sec. 26, T. 38 N., R. 17 W. The northeast fork drains the area north of the Sunstrand (Modine) site and southwest of Missouri HIghways 5 and 7. The Sunstrand (Modine) facility drains into the southeast fork. Straight line distance from the site to the confluence of the receiving stream with the Lake of the Ozarks is about 1.6 miles (see enclosed map).

On January 31, 1992, Edith Starbuck and I walked the receiving stream from approximately the east line of Sec. 26, T. 38 N., R. 17 W., to the county road crossing just upstream from the lake in the SE 1/4 Sec. 27, T. 38 N., R. 17 W. We also examined the northeast branch of the receiving stream from its confluence with the southeast branch to the SE 1/4 Sec. 23, T. 38 N., R. 17 W.

The receiving stream was found to have intermittent flow from upstream of the Sunstrand (Modine) facility to about 1,800 feet downstream of the confluence of the northeast and southeast forks. Flow varied somewhat depending on location, but was estimated to be 2 to 5 gallons per minute. Flow, estimated to be 2 to 5 gallons per minute, resumed about 4,000 feet downstream of the losing point, or about 900 feet upstream of the county road. There was essentially no flow in the northeast fork throughout its reach. The upper part of the watershed is developed in Gasconade Dolomite. The Gunter Sandstone crops out in the lower portion of the watershed. Stream-bed material is mostly coarse gravel and cobbles with some sand.


An attempt was made to conduct a dye trace from the losing reach of the receiving stream downstream of the Sunstrand (Modine) facility on February 13, 1992. The entire drainage was reexamined on foot, and there was found to be flow completely through the previously dry section downstream of the facility. Additionally, there was flow throughout the northeast branch to at least an



elevation of 900 feet. No flow measurements were made, but flow in the receiving stream was estimated at about 50 gallons per minute, and appeared to maintain or gain flow downstream. Flow in the northeast branch increased from about 1 gallon per minute at elevation 900, to about 5 gallons per minute where the northeast and southeast branches merge. Water in both branches appeared clear, and did not contained any visible suspended sediment. Soil was moist, but there was no signs of recent heavy precipitation or runoff.

When the receiving stream was examined on January 31, 1992, there had been no appreciable precipitation (enough to generate appreciable surface-water runoff) for several weeks. On February 13, 1992, we visited the Missouri Department of Conservation office about 2 miles northwest of the Sunstrand (Modine) facility, where they maintain a weather observation station. Total precipitation the week previous to the February visit was less than 0.7 inches.

Based on observations made during these two visits, it appears that flow lost into the subsurface along the receiving stream during very dry weather likely stays within the valley. Very little rainfall was necessary to raise the water table elevation in the valley and generate surface flow throughout the reach of the stream. Any dye trace from the Sunstrand (Modine) facility should be initiated from drill holes or a backhoe trench. Dye would likely be recovered in either the valley west of the facility, or in adjacent watersheds to the north and northeast of the facility. These valleys were also examined on February 13, 1992, and found to be gaining throughout their reaches on that day.



# MISSOURI DEPARTMENT OF NATURAL RESOURCES DIVISION OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES PROGRAM

Site Sampling Report
Sundstrand Site
Camdenton, MO
July 20 through July 31, 1992



HAZARDOUS WASTE PROGRAM MISSOURI DEPARTMENT OF NATURAL RESOURCES

#### INTRODUCTION

As part of a site inspection authorized by the Federal Comprehensive Environmental Response, Compensation, and Liability Act, sampling was conducted at the Sundstrand Site in Camdenton, Missouri. The sampling was requested by the Missouri Department of Natural Resources (MDNR), Hazardous Waste Program (HWP), to determine whether hazardous substance releases from the Sundstrand Tubular Products facility (presently Modine Heat Transfer) has caused groundwater contamination in the area. Previous sampling conducted by Modine contractors indicated that soils around the site have been contaminated with trichloroethylene (TCE), 1,1,1 trichloroethane (TCA), tetrachloroethylene (PCE) and vinyl chloride.

Sampling during this inspection included soil and groundwater produced from the construction of monitoring wells on Modine Heat Transfer property, neighboring private wells, surface water from a creek downgradient from the site, and a spring. David Mosby of the MDNR, Environmental Services Program (ESP), collected samples and provided contractor oversite. Edith Starbuck of the MDNR, Division of Geology and Land Survey, was present throughout the inspection to provide technical support during well drilling. Floyd Chilcutt and Bert Williams operated the drill rig for Layne-Western Company, subcontractors for the site. Don Mans of Modine Manufacturing Company split some of the samples collected during the inspection. The sampling data will be used in scoring the site according to the U.S. EPA's hazard ranking system.

#### **METHODS**

Two monitoring wells (MW#1 and MW#2) were drilled and sampled during the site inspection. An air-rotary drill rig was used for well construction. Monitoring well #1 (MW#1) was drilled south of the facility parking lot at a location considered downgradient of the contaminated area. Monitoring well #2 (MW#2) was drilled near the northeast side of the facility at a location considered to be upgradient of the contamination. (See Appendix A for sampling locations.)

During drilling, soil was collected at five-foot intervals with a split spoon sampler and placed in containers with stainless steel spoons. Surface samples at both drilling locations were collected as direct grabs with stainless steel spoons because samples at this depth could not be collected with the split spoon sampler. Soil samples and drilling activities were monitored for organic vapors using a flame ionization detector (FID) or a photoionization detector (PID).

Sampling Report Sundstrand Site Camdenton, MO Page Two

Drilling of wells ceased when sufficient water was encountered in the desired monitoring zone. After drilling was completed, wells were cased, screened, and grouted by Layne-Western and developed by MDNR and Layne-Western personnel. Wells were developed with a Grundfos submersible pump and/or stainless steel or Teflon bailer. Wells were purged until water turbidity decreased or until field parameters of conductivity, pH, and temperature, measured after each well volume, stabilized within 10% of the prior reading. Three volumes were purged from both wells during development.

Wells were sampled no earlier than the following day after development. Prior to sampling, one to three additional well volumes were purged depending on field parameter stability. Samples were collected by lowering a stainless steel or Teflon bailer to the bottom of the water column, pulling the bailer back up through the well, and filling sample containers directly.

Groundwater was sampled from three private wells located downgradient from the site at the E.M. Gillemberg, Robert E. Bailey, and Steve Fera residences. Samples were collected from an outside tap after running water out of the lines for three to five minutes.

Two grab samples were collected of surface water downgradient of the site by submersing the appropriate containers into the water body. A small creek, which flows through Jarvis Hollow (just below MW#1) and Ha Ha Tonka Spring, which flows into the Lake of the Ozarks approximately  $2^{1}/4$  miles south of the site, were sampled.

An equipment blank was collected of the rinsate from the decontamination of the pump and hose used to develop and purge the wells. This sample was collected after sampling MW#1 and before sampling MW#2. Tap water from the facility was used as the rinse water.

The following samples were collected at the above mentioned locations:

		a mericioned toca	tions:
SAMPLE #	LOCATION	SAMPLE TYPE	DATE
92-6915 92-6916 92-6917 92-6918 92-6919 92-6920 92-6921 92-6922 92-6923 92-6924 92-6925 92-6926 92-6927 92-6928 92-6930 92-6931 92-6932	MW#1 0-3 inches does	soil boring soil boring soil boring	7/20/92 7/20/92 7/20/92 7/20/92 7/22/92 7/28/92 7/28/92 7/28/92 7/28/92 7/28/92 7/28/92 7/28/92 7/28/92 7/30/92 7/30/92 7/31/92

Sampling Report Sundstrand Site Camdenton, MO Page Three

All samples were analyzed for volatile organics at the state's environmental laboratory within the Environmental Services Program in Jefferson City. Each sample was given a numbered tag and the corresponding number was recorded on a chain-of-custody form. Other laboratory procedures were followed according to the requirements and standard operating procedures of the Preliminary Assessment/Site Inspection Quality Assurance Project Plan for Fiscal Year 1992.

#### **OBSERVATIONS**

Voids at the bedrock/soil interface or in the competent rock itself impeded drilling progress and well construction at MW#1. An outer casing of steel had to be set 80 feet deep and grouted around the outside in order to advance this well to the desired depth.

Total well depth of MW#1 was 161 feet and MW#2 was 197 feet. Static water levels were 144 feet and 174.5 feet for MW#1 and MW#2, respectively.

Water in the monitoring wells changed from turbid and reddish-brown, to silty and grey, and finally to colorless and clear during development and purging. Since well samples were collected from the bottom of the water column, they were grey and silty, even though water from the top of the water column was colorless and clear.

No organic vapors were detected in the soil borings or drilling air returns from any of the wells.

Soil samples were predominantly composed of red clay. Amounts of chert, limestone, topsoil, sandstone, and stringers of tan-colored clay varied with depth and location. Soil from the boring of MW#2 contained more tan clay and sand than MW#1.

Don Mans reported in a phone conversation to Dave Mosby that the sample they split of MW#2 contained low levels of TCE below the detection level used by the MDNR laboratory. Modine did not split the water sample of MW#1.

#### RESULTS

See Appendix B for sample results.

Sampling Report Sundstrand Site Camdenton, MO Page Four

Submitted by:

David E. Mosby

Environmental Specialist

Superfund Unit

Environmental Services Program

Date:

Approved by:

James H. Long

Director

Environmental Services Program


JHL:dmd

c: Julie Bloss, Environmental Specialist, PA/SI Unit, Superfund Section, Hazardous Waste Program

### APPENDIX A

SAMPLING REPORT SUNDSTRAND SITE CAMDENTON, MO

Site Map



### APPENDIX B

SAMPLING REPORT SUNDSTRAND SITE CAMDENTON, MO

Sampling Data
July 20 through July 31, 1992

Sample No. 92-6915

Reported to: DAVID MOSBY

Date: 12/30/92 Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND (MODINE MANUFACTURING CO.) SITE

CAMDENTON, MO., GRAB OF BOREHOLE CORE

OF SOIL AT 10-12 FT., MW# 1

Collected by: DAVID MOSBY Date: 07/20/92

Affiliation: SPFD

PARAMETERS		REST	ULTS
1,1,1-Trichloroethane	<	25	ug/Kg
1,1,2,2-Tetrachloroethane	<	25	ug/Kg
1,1,2-Trichloroethane	<		ug/Kg
1,1-Dichloroethane			ug/Kg
1,1-Dichloroethylene	<	25	ug/Kg
1,2-Dichloroethane	<	25	ug/Kg
1,2-Dichloroethene (Total)	<	25	ug/Kg
1,2-Dichloropropane	<	25	ug/Kg
2-Butanone			ug/Kg
2-Hexanone	<	100	ug/Kg
4-Methyl-2-Pentanone	<	100	ug/Kg
Acetone	<	100	ug/Kg
Benzene	<	25	ug/Kg
Bromodichloromethane	<	25	ug/Kg
Bromoform	<	25	ug/Kg
Bromomethane	<	25	ug/Kg
Carbon Disulfide	<	25	ug/Kg
Carbon Tetrachloride	<	25	ug/Kg
Chlorobenzene	<	25	ug/Kg
Chloroethane	<	25	ug/Kg

Page 2 Sample no. 92-6915 Date 12/30/92

PARAMETERS		REST	ULTS
Chloroform	. <	25	ug/Kg
Chloromethane		25	ug/Kg
cis-1,3-Dichloropropene	<	25	ug/Kg
Dibromochloromethane	<	25	ug/Kg
Ethylbenzene	<	25	ug/Kg
Methylene Chloride	<	25	ug/Kg
Styrene	<	25	ug/Kg
Tetrachloroethene	<	25	ug/Kg
Toluene	<	25	ug/Kg
trans-1,3-Dichloropropene	<	25	ug/Kg
Trichloroethene	<	25	ug/Kg
Vinyl Acetate		100	ug/Kg
Vinyl Chloride/Chloroethene	<	25	ug/Kg
Xylenes (Total)		25	ug/Kg
	ne Miss	sour	L DNR
laboratory.			

Sample No. 92-6916

Reported to: DAVID MOSBY Date: 12/30/92

Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER) CAMDENTON, MO., GRAB OF BOREHOLE CORE

OF SOIL AT 15-17 FT., MW# 1

Collected by: DAVID MOSBY Affiliation: SPFD Date: 07/20/92

PARAMETERS		RES	ULTS
1,1,1-Trichloroethane	<	25	ug/Kg
1,1,2,2-Tetrachloroethane		25	
1,1,2-Trichloroethane		25	ug/Kg
1,1-Dichloroethane		25	ug/Kg
1,1-Dichloroethylene			ug/Kg
1,2-Dichloroethane		25	ug/Kg
1,2-Dichloroethene (Total)	<	25	ug/Kg
1,2-Dichloropropane	<	25	,
2-Butanone	<	100	
2-Hexanone	<	100	ug/Kg
4-Methyl-2-Pentanone			ug/Kg
Acetone			ug/Kg
Benzene			ug/Kg
Bromodichloromethane			ug/Kg
Bromoform			ug/Kg
Bromomethane			ua/Ka
Carbon Disulfide			ug/Kg
Carbon Tetrachloride			ua/Ka
Chlorobenzene			ua/Kg
Chloroethane			ug/Kg

Page 2 Sample no. 92-6916 Date 12/30/92

PARAMETERS		RESU	JLTS
Chloroform	<	25	ug/Kg
Chloromethane	<	25	ug/Kg
cis-1,3-Dichloropropene	<	25	ug/Kg
Dibromochloromethane	<	25	ug/Kg
Ethylbenzene	<	25	ug/Kg
Methylene Chloride	<	25	ug/Kg
Styrene	<	25	ug/Kg
Tetrachloroethene	<	25	ug/Kg
Toluene	<	25	ug/Kg
trans-1,3-Dichloropropene	<	25	ug/Kg
Trichloroethene	<	25	ug/Kg
Vinyl Acetate	<	100	ug/Kg
Vinyl Chloride/Chloroethene	<	25	ug/Kg
Xylenes (Total)	<	25	ug/Kg
	he Miss	ouri	
laboratory.			

Sample No. 92-6917

Date: 12/30/92

Reported to: DAVID MOSBY

Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER) CAMDENTON, MO., GRAB OF BOREHOLE CORE OF SOIL AT 20-20.5 FT., MW# 1

Collected by: DAVID MOSBY Date: 07/20/92

Affiliation: SPFD

PARAMETERS		REST	ULTS
1,1,1-Trichloroethane	<	25	ug/Kg
1,1,2,2-Tetrachloroethane	<	25	ug/Kg
1,1,2-Trichloroethane	<	25	ug/Kg
1,1-Dichloroethane	<	25	ug/Kg
1,1-Dichloroethylene	<	25	ug/Kg
1,2-Dichloroethane	<	25	ug/Kg
1,2-Dichloroethene (Total)	<	25	ug/Kg
1,2-Dichloropropane	<	25	ug/Kg
2-Butanone	<	100	ug/Kg
2-Hexanone	<	100	ug/Kg
4-Methyl-2-Pentanone	<	100	ug/Kg
Acetone	<	100	ug/Kg
Benzene	<	25	ug/Kg
Bromodichloromethane	<	25	ug/Kg
Bromoform	<	25	ug/Kg
Bromomethane	<	25	ug/Kg
Carbon Disulfide	<	25	ug/Kg
Carbon Tetrachloride	<	25	ug/Kg
Chlorobenzene	<	25	ug/Kg
Chloroethane	<	25	ug/Kg

Page 2 Sample no. 92-6917 Date 12/30/92

PARAMETERS			REST	JLTS
Chloroform		<	25	ug/Kg
Chloromethane		<	25	ug/Kg
cis-1,3-Dichloropropene		<	25	ug/Kg
Dibromochloromethane		<	25	ug/Kg
Ethylbenzene		<	25	ug/Kg
Methylene Chloride		<	25	ug/Kg
Styrene		<	25	ug/Kg
Tetrachloroethene		<	25	ug/Kg
Toluene		<	25	ug/Kg
trans-1,3-Dichloropropene		<	25	ug/Kg
Trichloroethene		<	25	ug/Kg
Vinyl Acetate		<	100	ug/Kg
Vinyl Chloride/Chloroethene		<	25	ug/Kg
Xylenes (Total)		<	25	ug/Kg
COMMENTS: Analyzed by GC/MS at	the	Miss	ouri	DNR
laboratory.				

Sample No. 92-6918

Reported to: DAVID MOSBY

Date: 12/30/92 Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO., GRAB OF CREEK DOWN HILL FROM FACILITY

Collected by: DAVID MOSBY Date: 07/22/92

Affiliation: SPFD

PARAMETERS		RESU	ULTS
1,1,1-Trichloroethane			ug/L
1,1,2,2-Tetrachloroethane	<	5.0	ug/

1,1,2-Trichloroethane < 5.0 ug/L1,1-Dichloroethane < 5.0 ug/L1,1-Dichloroethylene  $< 5.0 \, \text{ug/L}$ 1,2-Dichloroethane < 5.0 ug/L1,2-Dichloroethene (Total)  $< 5.0 \, \text{ug/L}$ 1,2-Dichloropropane < 5.0 ug/L 2-Butanone < 100 ug/L 2-Hexanone < 100 ug/L 4-Methyl-2-Pentanone < 100 ug/L Acetone < 100 ug/L Benzene < 5.0 ug/LBromodichloromethane < 5.0 ug/L< 5.0 ug/LBromoform < 5.0 ug/LBromomethane Carbon Disulfide < 5.0 ug/LCarbon Tetrachloride < 5.0 ug/LChlorobenzene < 5.0 ug/LChloroethane < 5.0 ug/LChloroform  $< 5.0 \, \text{ug/L}$ 

Page 2 Sample no. 92-6918 Date 12/30/92

PARAMETERS		RESU	JLTS
Chloromethane			ug/L
cis-1,3-Dichloropropene	<	5.0	ug/L
Dibromochloromethane	<	5.0	ug/L
Ethylbenzene	<	5.0	ug/L
Methylene Chloride	<	5.0	ug/L
Styrene	<	5.0	ug/L
Tetrachloroethene	<	5.0	ug/L
Toluene	<	5.0	ug/L
trans-1,3-Dichloropropene	<	5.0	ug/L
Trichloroethene	<	5.0	ug/L
Vinyl Acetate			ug/L
Vinyl Chloride/Chloroethene	<	5.0	ug/L
Xylenes (Total)	<	5.0	ug/L
COMMENTS: Analyzed by GC/MS at	the Misso	ouri	DNR
Environmental Services Program	laborator	Cy.	

Sample No. 92-6919

Reported to: DAVID MOSBY Date: 12/30/92

Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO., GRAB OF HA HA TONKA SPRING

HA HA TONKA STATE PARK

Collected by: DAVID MOSBY Date: 07/22/92

Affiliation: SPFD

PARAMETERS		RESULTS
1,1,1-Trichloroethane	<	5.0 ug/L
1,1,2,2-Tetrachloroethane	<	5.0 ug/L
1,1,2-Trichloroethane	<	5.0 ug/L
1,1-Dichloroethane	<	5.0 ug/L
1,1-Dichloroethylene		5.0 ug/L
1,2-Dichloroethane		5.0 ug/L
1,2-Dichloroethene (Total)		5.0 ug/L
1,2-Dichloropropane		5.0 ug/L
2-Butanone		100 ug/L
2-Hexanone	<	
4-Methyl-2-Pentanone	<	
Acetone	<	100 ug/L
Benzene		5.0 ug/L
Bromodichloromethane		5.0 ug/L
Bromoform		5.0 ug/L
Bromomethane		5.0 ug/L
Carbon Disulfide		5.0 ug/L
Carbon Tetrachloride		5.0 uq/L
Chlorobenzene		5.0 ug/L
Chloroethane		5.0 ug/L
		0 = 0 (19/1)

Page 2 Sample no. 92-6919 Date 12/30/92

PARAMETERS		RESU	JLTS
Chloroform	<	5.0	ug/L
Chloromethane	<	5.0	ug/L
cis-1,3-Dichloropropene	<	5.0	ug/L
Dibromochloromethane	<	5.0	ug/L
Ethylbenzene	<	5.0	ug/L
Methylene Chloride	<	5.0	ug/L
Styrene	<	5.0	ug/L
Tetrachloroethene	<	5.0	ug/L
Toluene	<	5.0	ug/L
trans-1,3-Dichloropropene	<	5.0	ug/L
Trichloroethene	<	5.0	ug/L
Vinyl Acetate	<	100	ug/L
Vinyl Chloride/Chloroethene	<	5.0	ug/L
Xylenes (Total)	<	5.0	ug/L
COMMENTS: Analyzed by GC/MS at	the Misso	ouri	DNR
Environmental Services Program	laborator	cy.	

Sample No. 92-6920

Reported to: DAVID MOSBY

Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF WELL FROM E.M. GILLENBERG HOUSEHOLD

Collected by: DAVID MOSBY

Affiliation: SPFD

Date: 9/02/92

Date: 07/28/92

PARAMETERS		REST	ULTS
PARAMETERS  1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethene (Total) 1,2-Dichloropropane 2-Butanone 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide	< <  <	5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0	ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L
Carbon Tetrachloride Chlorobenzene Chloroethane	<	5.0	ug/L ug/L ug/L

Page 2 Sample no. 92-6920 Date 9/02/92

<u>R</u>	ESULTS
<pre></pre>	.0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L .0 ug/L
< 5 at Continenta	.0 ug/L 1
	<pre></pre>

Sample No. 92-6921

Reported to: DAVID MOSBY Affiliation: SPFD Date: 9/02/92

Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF WELL FROM ROBERT E. BAILEY HOUSEHOLD

Date: 07/28/92 Collected by: DAVID MOSBY

Affiliation: SPFD

PARAMETERS		RESU	JLTS
1,1,1-Trichloroethane	<	5.0	ug/L
1,1,2,2-Tetrachloroethane			ug/L
1,1,2-Trichloroethane	<	5.0	ug/L
1,1-Dichloroethane	<	5.0	ug/L
1,1-Dichloroethylene	<	5.0	ug/L
1,2-Dichloroethane	<	5.0	ug/L
1,2-Dichloroethene (Total)	<	5.0	ug/L
1,2-Dichloropropane	<	5.0	ug/L
2-Butanone	<	100	ug/L
2-Hexanone	<	50	ug/L
4-Methyl-2-Pentanone	<	50	ug/L
Acetone			ug/L
Benzene	<	5.0	ug/L
Bromodichloromethane	<	5.0	ug/L
Bromoform			ug/L
Bromomethane	<	5.0	ug/L
Carbon Disulfide	<	5.0	ug/L
Carbon Tetrachloride	<	5.0	ug/L
Chlorobenzene	<	5.0	ug/L
Chloroethane	<	5.0	ug/L

Page 2 Sample no. 92-6921 Date 9/02/92

PARAMETERS		RESU	JLTS
Chloroform	<	5.0	ug/L
Chloromethane	<	5.0	ug/L
cis-1,3-Dichloropropene	<	5.0	ug/L
Dibromochloromethane	<	5.0	ug/L
Ethylbenzene	<	5.0	ug/L
Methylene Chloride	<	5.0	ug/L
Styrene	<	5.0	ug/L
Tetrachloroethene	<	5.0	ug/L
Toluene	<	5.0	ug/L
trans-1,3-Dichloropropene	<	5.0	ug/L
Trichloroethene	<	5.0	ug/L
Vinyl Acetate	<	100	ug/L
Vinyl Chloride/Chloroethene	<	5.0	ug/L
Xylenes (Total)	<	5.0	ug/L
COMMENTS: Analyzed by GC/MS at Cor	ntinent	cal	-
Analytical Services, Inc.			

Sample No. 92-6922

Reported to: DAVID MOSBY Date: 9/02/92

Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF WELL FROM STEVE FERRA HOUSEHOLD

Collected by: DAVID MOSBY Date: 07/28/92

Affiliation: SPFD

1,1,1-Trichloroethane       < 5.0 ug/L         1,1,2,2-Tetrachloroethane       < 5.0 ug/L         1,1,2-Trichloroethane       < 5.0 ug/L         1,1-Dichloroethane       < 5.0 ug/L         1,2-Dichloroethane       < 5.0 ug/L         1,2-Dichloroethene (Total)       < 5.0 ug/L         1,2-Dichloropropane       < 5.0 ug/L         2-Butanone       < 50 ug/L         2-Hexanone       < 50 ug/L         4-Methyl-2-Pentanone       < 50 ug/L         Acetone       < 100 ug/L         Benzene       < 5.0 ug/L         Bromodichloromethane       < 5.0 ug/L
1,1,2-Trichloroethane       < 5.0 ug/L
1,1-Dichloroethane       < 5.0 ug/L
1,1-Dichloroethylene       < 5.0 ug/L
1,2-Dichloroethane       < 5.0 ug/L
1,2-Dichloroethene (Total)       < 5.0 ug/L
1,2-Dichloropropane       < 5.0 ug/L
1,2-Dichloropropane       < 5.0 ug/L
2-Butanone       < 100 ug/L
4-Methyl-2-Pentanone < 50 ug/L Acetone < 100 ug/L Benzene < 5.0 ug/L
4-Methyl-2-Pentanone < 50 ug/L Acetone < 100 ug/L Benzene < 5.0 ug/L
Acetone < 100 ug/L Benzene < 5.0 ug/L
Benzene < 5.0 ug/L
bromodicinolomechane \ \ \).0 ud/L
Bromoform < 5.0 ug/L
Bromomethane < 5.0 ug/L
Carbon Disulfide < 5.0 ug/L
Carbon Tetrachloride < 5.0 ug/L
Chlorobenzene < 5.0 ug/L
Chloroethane < 5.0 ug/L

Page 2 Sample no. 92-6922 Date 9/02/92

PARAMETERS			REST	JLTS
Chloroform		<	5.0	ug/L
Chloromethane		<	5.0	ug/L
cis-1,3-Dichloropropene		<	5.0	ug/L
Dibromochloromethane		<	5.0	ug/L
Ethylbenzene		<	5.0	ug/L
Methylene Chloride				ug/L
Styrene		<	5.0	ug/L
Tetrachloroethene		<	5.0	ug/L
Toluene				ug/L
trans-1,3-Dichloropropene				ug/L
Trichloroethene				ug/L
Vinyl Acetate				ug/L
Vinyl Chloride/Chloroethene				ug/L
Xylenes (Total)				ug/L
COMMENTS: Analyzed by GC/MS	at			J
Analytical Services Inc				

Analytical Services, Inc.

Sample No. 92-6923

Reported to: DAVID MOSBY Date: 9/02/92

Project Code: 3658/3148 Affiliation: SPFD

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF SOIL FROM MW #2 FROM 0-3 INCHES DEEP

Date: 07/28/92 Collected by: DAVID MOSBY

Affiliation: SPFD

PARAMETERS		RESULTS		
1,1,1-Trichloroethane	<	5 0	ug/Kg	
1,1,2,2-Tetrachloroethane			ug/Kg	
1,1,2-Trichloroethane			ug/Kg	
1,1-Dichloroethane			ug/Kg	
1,1-Dichloroethylene			ug/Kg	
1,2-Dichloroethane			ug/Kg	
1,2-Dichloroethene (Total)			ug/Kg	
1,2-Dichloropropane			ug/Kg	
2-Butanone				
			ug/Kg	
2-Hexanone			ug/Kg	
4-Methyl-2-Pentanone			ug/Kg	
Acetone			ug/Kg	
Benzene			ug/Kg	
Bromodichloromethane	<	5.0	ug/Kg	
Bromoform	<	5.0	ug/Kg	
Bromomethane	<	5.0	ug/Kg	
Carbon Disulfide			ug/Kg	
Carbon Tetrachloride			ug/Kg	
Chlorobenzene			ug/Kg	
Chloroethane			ug/Kg	

Page 2 Sample no. 92-6923 Date 9/02/92

PARAMETERS			REST	ULTS
Chloroform		<	5.0	ug/Kg
Chloromethane		<	5.0	ug/Kg
cis-1,3-Dichloropropene		<	5.0	ug/Kg
Dibromochloromethane		<	5.0	ug/Kg
Ethylbenzene				ug/Kg
Methylene Chloride				ug/Kg
Styrene				ug/Kg
Tetrachloroethene		<	5.0	ug/Kg
Toluene				ug/Kg
trans-1,3-Dichloropropene				ug/Kg
Trichloroethene				ug/Kg
Vinyl Acetate				ug/Kg
Vinyl Chloride/Chloroethene				ug/Kg
Xylenes (Total)				ug/Kg
COMMENTS: Analyzed by GC/MS	at			, ,
Analytical Services, Inc.				

Sample No. 92-6924

Reported to: DAVID MOSBY Date: 9/02/92

Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF SOIL FROM MW #2 FROM 5 - 5.5 FT. DEEP

Collected by: DAVID MOSBY Date: 07/28/92

Affiliation: SPFD

### <u>PARAMETERS</u> RESULTS

1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,2-Dichloroethane 1,2-Dichloroethene (Total) 1,2-Dichloropropane 2-Butanone	< < < < < < <	5.0 5.0 5.0 5.0 5.0 5.0	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg
2-Hexanone			ug/Kg
4-Methyl-2-Pentanone	<	50	ug/Kg
Acetone	<	100	ug/Kg
Benzene	<	5.0	ug/Kg
Bromodichloromethane	<	5.0	ug/Kg
Bromoform	<	5.0	ug/Kg
Bromomethane	<	5.0	ug/Kg
Carbon Disulfide			ug/Kg
Carbon Tetrachloride			ug/Kg
Chlorobenzene			ug/Kg
Chloroethane			ug/Kg

Page 2 Sample no. 92-6924 Date 9/02/92

PARAMETERS	RESULTS
Chloroform Chloromethane cis-1,3-Dichloropropene Dibromochloromethane Ethylbenzene Methylene Chloride Styrene Tetrachloroethene Toluene trans-1,3-Dichloropropene Trichloroethene Vinyl Acetate Vinyl Chloride/Chloroethene Xylenes (Total) COMMENTS: Analyzed by GC/MS	<pre></pre>
Analytical Services, Inc.	

Sample No. 92-6925

Date: 9/02/92

Reported to: DAVID MOSBY

Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF SOIL FROM BORING FOR MW #2 FROM 10 - 12 FT. DEEP

Collected by: DAVID MOSBY Date: 07/28/92

Affiliation: SPFD

### <u>PARAMETERS</u> <u>RESULTS</u>

1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,2-Dichloroethane 1,2-Dichloroethene (Total) 1,2-Dichloropropane 2-Butanone	< < < < < < <	5.0 5.0 5.0 5.0 5.0 5.0	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg
2-Hexanone	<	50	ug/Kg
4-Methyl-2-Pentanone			ug/Kg
Acetone			ug/Kg
Benzene			ug/Kg
Bromodichloromethane			ug/Kg
Bromoform			ug/Kg
Bromomethane			ug/Kg
Carbon Disulfide			ug/Kg
Carbon Tetrachloride			ug/Kg
Chlorobenzene			ug/Kg
Chloroethane			ug/Kg

Page 2 Sample no. 92-6925 Date 9/02/92

PARAMETERS		REST	JLTS
Chloroform	<	5.0	ug/Kg
Chloromethane	<	5.0	ug/Kg
cis-1,3-Dichloropropene	<	5.0	ug/Kg
Dibromochloromethane			ug/Kg
Ethylbenzene			ug/Kg
Methylene Chloride			ug/Kg
Styrene	<	5.0	ug/Kg
Tetrachloroethene			ug/Kg
Toluene			ug/Kg
trans-1,3-Dichloropropene			ug/Kg
Trichloroethene			ug/Kg
Vinyl Acetate			ug/Kg
Vinyl Chloride/Chloroethene			ug/Kg
Xylenes (Total)			ug/Kg
COMMENTS: Analyzed by GC/MS at Contin			5. 5
Analytical Services, Inc.			

Sample No. 92-6926

Reported to: DAVID MOSBY

Date: 12/30/92 Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF SOIL FROM BORING FOR MW #2 FROM 15 - 16 FT. DEEP

Collected by: DAVID MOSBY Date: 07/28/92

Affiliation: SPFD

#### PARAMETERS RESULTS

1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene	< <	5.0 5.0 5.0	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg
1,2-Dichloroethane			ug/Kg
1,2-Dichloroethene (Total)			ug/Kg
1,2-Dichloropropane			ug/Kg
2-Butanone			ug/Kg
2-Hexanone	<	50	ug/Kg
4-Methyl-2-Pentanone	<	50	ug/Kg
Acetone	<	100	ug/Kg
Benzene	<	5.0	ug/Kg
Bromodichloromethane	<	5.0	ug/Kg
Bromoform	<	5.0	ug/Kg
Bromomethane			ug/Kg
Carbon Disulfide			ug/Kg
Carbon Tetrachloride	<	5.0	ug/Kg
Chlorobenzene			ug/Kg
Chloroethane			ug/Kg
			_

Sample No. 92-6927

Reported to: DAVID MOSBY Date: 9/02/92

Affiliation: SPFD Project Code: 3658/3148

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO.

GRAB OF SOIL FROM BORING FOR MW #2 FROM 20 - 22 FT. DEEP

Collected by: DAVID MOSBY Date: 07/28/92

Affiliation: SPFD

### <u>PARAMETERS</u> <u>RESULTS</u>

Page 2 Sample no. 92-6926 Date 12/30/92

PARAMETERS	REST	ULTS
Chloroform Chloromethane		ug/Kg ug/Kg
cis-1,3-Dichloropropene		ug/Kg
Dibromochloromethane	< 5.0	ug/Kg
Ethylbenzene	< 5.0	ug/Kg
Methylene Chloride		ug/Kg
Styrene		ug/Kg
Tetrachloroethene		ug/Kg
Toluene		ug/Kg
trans-1,3-Dichloropropene		ug/Kg
Trichloroethene	37 ug/Kg	
Vinyl Acetate		ug/Kg
Vinyl Chloride/Chloroethene		ug/Kg
Xylenes (Total)		ug/Kg
COMMENTS: Analyzed by GC/MS Analytical Services, Inc.	at Continental	

Page 2 Sample no. 92-6927 Date 9/02/92

PARAMETERS	RESULTS
Chloroform Chloromethane cis-1,3-Dichloropropene Dibromochloromethane Ethylbenzene Methylene Chloride Styrene Tetrachloroethene Toluene trans-1,3-Dichloropropene Trichloroethene Vinyl Acetate	<pre></pre>
Vinyl Chloride/Chloroethene	< 5.0 ug/Kg
Xylenes (Total)	< 5.0 ug/Kg
COMMENTS: Analyzed by GC/MS Analytical Services, Inc.	at Continental

Sample No. 92-6928

Reported to: DAVID MOSBY Date: 9/02/92

Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO., GRAB OF MW #1

Collected by: DAVID MOSBY Date: 07/30/92

Affiliation: SPFD

<u>PARAMETERS</u> RESULTS

TEMPERATURE 16.9 DEGREES C

COMMENTS : ANALYZED IN FIELD

pH 9.8

COMMENTS : ANALYZED IN FIELD

SPECIFIC CONDUCTANCE 219 umhos/cm

COMMENTS : ANALYZED IN FIELD

1,1,1-Trichloroethane	<	5.0	ug/L
1,1,2,2-Tetrachloroethane	<	5.0	ug/L
1,1,2-Trichloroethane	<	5.0	ug/L
1,1-Dichloroethane	<	5.0	ug/L
1,1-Dichloroethylene	<	5.0	ug/L
1,2-Dichloroethane	<	5.0	ug/L
1,2-Dichloroethene (Total)	<	5.0	ug/L
1,2-Dichloropropane	<	5.0	ug/L
2-Butanone	<	100	ug/L
2-Hexanone	<	50	ug/L
4-Methyl-2-Pentanone	<	50	ug/L
Acetone	<	100	ug/L
			_

Page 2 Sample no. 92-6928 Date 9/02/92

PARAMETERS		RESI	ULTS
Benzene	<	5.0	ug/L
Bromodichloromethane	<	5.0	ug/L
Bromoform	<	5.0	ug/L
Bromomethane	<	5.0	ug/L
Carbon Disulfide			ug/L
Carbon Tetrachloride			ug/L
Chlorobenzene			ug/L
Chloroethane			ug/L
Chloroform			ug/L
Chloromethane			ug/L
cis-1,3-Dichloropropene			ug/L
Dibromochloromethane			ug/L
Ethylbenzene			ug/L
Methylene Chloride			ug/L
Styrene			ug/L
Tetrachloroethene			ug/L
Toluene			ug/L
trans-1,3-Dichloropropene			ug/L
Trichloroethene			ug/L
Vinyl Acetate			ug/L
Vinyl Chloride/Chloroethene			ug/L
Xylenes (Total)			ug/L
COMMENTS: Analyzed by GC/MS at Cont	tinent	al	J
Analytical Services, Inc.			

Sample No. 92-6930

Reported to: DAVID MOSBY Date: 9/02/92

Project Code: 3658/3000 Affiliation: SPFD

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)
CAMDENTON, MO., RINSATE BLANK OF PUMP AND HOSE

Collected by: DAVID MOSBY Date: 07/30/92

Affiliation: SPFD

#### PARAMETERS RESULTS

Page 2 Sample no. 92-6930 Date 9/02/92

PARAMETERS		RESU	JLTS
Chloromethane	<	5.0	ug/L
cis-1,3-Dichloropropene			ug/L
Dibromochloromethane			ug/L
Ethylbenzene	<	5.0	ug/L
Methylene Chloride	<	5.0	ug/L
Styrene	<	5.0	ug/L
Tetrachloroethene	<	5.0	ug/L
Toluene	<	5.0	ug/L
trans-1,3-Dichloropropene	<	5.0	ug/L
Trichloroethene	<	5.0	ug/L
Vinyl Acetate	<	100	ug/L
Vinyl Chloride/Chloroethene	<	5.0	ug/L
Xylenes (Total)	<	5.0	ug/L
COMMENTS: Analyzed by GC/MS at Co			_
Analytical Services, Inc.			

Sample No. 92-6931

Reported to: DAVID MOSBY Date: 9/02/92

Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO., GRAB OF MW #2

Collected by: DAVID MOSBY Date: 07/31/92

Affiliation: SPFD

### PARAMETERS RESULTS

TEMPERATURE 16.0 DEGREES C

COMMENTS : ANALYZED IN FIELD

pH 7.5

COMMENTS : ANALYZED IN FIELD

SPECIFIC CONDUCTANCE 831 umhos/cm

COMMENTS : ANALYZED IN FIELD

1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,2-Dichloroethane 1,2-Dichloroethene (Total) 1,2-Dichloropropane 2-Butanone 2-Hexanone 4-Methyl-2-Pentanone Acetone	< < < < < < < < < < < < < < < < < < <	5.0 5.0 5.0 5.0 5.0 5.0 5.0	ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L
			J.

Page 2 Sample no. 92-6931 Date 9/02/92

PARAMETERS			RES	ULTS
Benzene		<	5 0	ug/L
Bromodichloromethane		<	5 0	ug/L
Bromoform				ug/L
Bromomethane				ug/L
Carbon Disulfide				ug/L
Carbon Tetrachloride				ug/L
Chlorobenzene				ug/L
Chloroethane				ug/L
Chloroform				ug/L
Chloromethane				ug/L ug/L
cis-1,3-Dichloropropene			5.0	ug/L
Dibromochloromethane		~	5.0	ug/L
Ethylbenzene			5 0	ug/L
Methylene Chloride				ug/L
Styrene				ug/L
Tetrachloroethene				ug/L
Toluene				ug/L
trans-1,3-Dichloropropene				ug/L
Trichloroethene				ug/L
Vinyl Acetate				ug/L
Vinyl Chloride/Chloroethene				
Xylenes (Total)				ug/L
COMMENTS: Analyzed by GC/MS	a t	Continent	5.0	ug/L
Analytical Services, Inc.	at	continent	.dI	

Sample No. 92-6932

Date: 07/31/92

Reported to: DAVID MOSBY

Date: 9/02/92 Affiliation: SPFD Project Code: 3658/3000

Sample Description:

SUNDSTRAND SITE (MODINE HEAT TRANSFER)

CAMDENTON, MO, GRAB OF SOIL

NEAR BOREHOLE MW #1 FROM O-3 INCHES

Collected by: DAVID MOSBY

Affiliation: SPFD

#### PARAMETERS RESULTS

1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,2-Dichloroethane 1,2-Dichloroethene (Total) 1,2-Dichloropropane 2-Butanone 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromomethane	< < < < < < < < < < < < < < < < < < <	5.0 5.0 5.0 5.0 5.0 5.0 100 50 100 5.0 5.0	ug/Kg
			ug/Kg
Carbon Disulfide			ug/Kg
Carbon Tetrachloride			ug/Kg
Chlorobenzene			ug/Kg
Chloroethane	<	5.0	ug/Kg

Page 2 Sample no. 92-6932 Date 9/02/92

<u>PÁRAMETERS</u>		RESU	ULTS
Chloroform Chloromethane cis-1,3-Dichloropropene Dibromochloromethane Ethylbenzene Methylene Chloride Styrene Tetrachloroethene Toluene trans-1,3-Dichloropropene Trichloroethene Vinyl Acetate Vinyl Chloride/Chloroethene Xylenes (Total) COMMENTS: Analyzed by GC/MS	<td>5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0</td> <td>ug/Kg ug/Kg ug/Kg</td>	5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0	ug/Kg
Analytical Services, Inc.			